



Material Safety Data Sheet

MAXFORCE® CARPENTER ANT BAIT GEL

MSDS Number: 102000005015
 MSDS Version 2.1
 Revision Date: 12/12/2007

SECTION 1. CHEMICAL PRODUCT AND COMPANY INFORMATION

Product Name MAXFORCE® CARPENTER ANT BAIT GEL
Chemical Name Fipronil
MSDS Number 102000005015
EPA Registration No. 432-1264

Bayer Environmental Science
 2 T.W. Alexander Drive
 Research Triangle PK, NC 27709
 USA

For MEDICAL, TRANSPORTATION or other EMERGENCY call: 1-800-334-7577 (24 hours/day)
 For Product Information call: 1-800-331-2867

SECTION 2. COMPOSITION/INFORMATION ON INGREDIENTS

<u>Hazardous Component Name</u>	<u>CAS-No.</u>	<u>Average % by Weight</u>
Fipronil	120068-37-3	0.001
1,2-Propanediol	57-55-6	1.00

SECTION 3. HAZARDS IDENTIFICATION

NOTE: Please refer to Section 11 for detailed toxicological information.

Emergency Overview Caution! May be harmful if swallowed. Avoid contact with skin and clothing. Hazard to humans and domestic animals. Keep out of reach of children and animals. Keep exposed gel away from open food and food contact surfaces.

Physical State gel clear

Odor sweet

Appearance yellow

Routes of Exposure Ingestion, Skin contact, Eye contact

Immediate Effects

Eye Avoid contact with eyes.

Skin May be minimally irritating following prolonged direct contact. Avoid contact with skin and clothing.



Material Safety Data Sheet

MSDS Number: 102000005015
MSDS Version 2.1

MAXFORCE® CARPENTER ANT BAIT GEL

Ingestion	May be harmful if swallowed. Do not take internally.
Chronic or Delayed Long-Term	This product or its components may have target organ effects. This product or its components may have long term (chronic) health effects.
Medical Conditions Aggravated by Exposure	No specific medical conditions are known which may be aggravated by exposure to this product.

SECTION 4. FIRST AID MEASURES

General	When possible, have the product container or label with you when calling a poison control center or doctor or going for treatment.
Eye	Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a physician or poison control center immediately.
Skin	Take off contaminated clothing and shoes immediately. Wash off immediately with plenty of water for at least 15 minutes. Call a physician or poison control center immediately.
Ingestion	Call a physician or poison control center immediately. Rinse out mouth and give water in small sips to drink. DO NOT induce vomiting unless directed to do so by a physician or poison control center. Never give anything by mouth to an unconscious person. Do not leave victim unattended.
Inhalation	Move to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a physician or poison control center immediately.
Notes to Physician Treatment	There is no specific antidote. Appropriate supportive and symptomatic treatment as indicated by the patient's condition is recommended.

SECTION 5. FIRE FIGHTING MEASURES

Flash point	93.4 °C / 200.1 °F
Explosiveness	Not explosive
Fire and Explosion Hazards	Dangerous gases are evolved in the event of a fire.
Suitable Extinguishing Media	Water, Foam, Carbon dioxide (CO2), Dry chemical



Material Safety Data Sheet

MSDS Number: 102000005015
MSDS Version 2.1

MAXFORCE® CARPENTER ANT BAIT GEL

Fire Fighting Instructions

Fight fire from upwind position. Keep out of smoke. Do not allow run-off from fire fighting to enter drains or water courses.

Firefighters should wear NIOSH approved self-contained breathing apparatus and full protective clothing.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal Precautions

Keep unauthorized people away. Isolate hazard area. Avoid contact with spilled product or contaminated surfaces.

Methods for Cleaning Up

Collect and transfer the product into a properly labelled and tightly closed container. Clean contaminated floors and objects thoroughly, observing environmental regulations.

Additional Advice

Use personal protective equipment. Do not allow to enter soil, waterways or waste water canal.

SECTION 7. HANDLING AND STORAGE

Handling Procedures

Maintain exposure levels below the exposure limit through the use of general and local exhaust ventilation.

Product will stain porous surfaces.

Do not use this product in or on electrical equipment due to the possibility of shock hazard.

Storing Procedures

Keep containers tightly closed in a dry, cool and well-ventilated place. Keep out of reach of children and animals.

Work/Hygienic Procedures

Keep away from food, drink and animal feedingstuffs.

Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, using the toilet or applying cosmetics.

Min/Max Storage Temperatures

Recommended maximum transport/storage temperature: 27 °C / 81 °F
The 30-day storage temperature average must not exceed the recommended maximum.

SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

General Protection

There are no known hazards associated with this product when used according to the label directions. The following guidelines should be followed.

Avoid contact with skin and eyes.



Material Safety Data Sheet

MAXFORCE® CARPENTER ANT BAIT GEL

MSDS Number: 102000005015
MSDS Version 2.1

Follow all label instructions. Train employees in safe use of the product.

Exposure Limits

Fipronil	120068-37-3	OES BCS*		0.035 mg/m3
1,2-Propanediol	57-55-6	WEEL	TWA	10 mg/m3
		Form of exposure	Aerosol.	
Sucrose	57-50-1	ACGIH	TWA	10 mg/m3
		NIOSH	REL	5 mg/m3
		Form of exposure	Respirable.	
		NIOSH	REL	10 mg/m3
		Form of exposure	Total	
		OSHA Z1	PEL	5 mg/m3
		Form of exposure	Respirable fraction.	
		OSHA Z1	PEL	15 mg/m3
		Form of exposure	Total dust.	
		OSHA Z1A	TWA	5 mg/m3
		Form of exposure	Respirable fraction.	
		OSHA Z1A	TWA	15 mg/m3
		Form of exposure	Total dust.	
		US CA OEL	TWA PEL	5 mg/m3
		Form of exposure	Respirable fraction.	
		US CA OEL	TWA PEL	10 mg/m3
		Form of exposure	Total dust.	

*OES BCS: Internal Bayer CropScience "Occupational Exposure Standard"

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	yellow
Physical State	gel clear
Odor	sweet
Density	1.27 g/cm ³
Melting / Freezing Point	60 °C / 140 °F

SECTION 10. STABILITY AND REACTIVITY

Conditions to Avoid	Extremes of temperature and direct sunlight. Exposure to moisture.
Incompatibility	Strong bases Strong acids Strong oxidizing agents



Material Safety Data Sheet

MAXFORCE® CARPENTER ANT BAIT GEL

MSDS Number: 102000005015
MSDS Version 2.1

Hazardous Decomposition Products Thermal decomposition
Nitrogen oxides (NOx)
Sulphur oxides
Hydrogen fluoride (HF)
Carbon oxides
Hydrogen chloride (HCl)

Hazardous Reactions Stable under recommended storage conditions.

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity data have been bridged from a similar formulation containing a slightly higher percentage of the active ingredient, fipronil. The non-acute information pertains to technical-grade active ingredient.

Acute Oral Toxicity rat: LD50: > 5,000 mg/kg

Acute Dermal Toxicity rat: LD50: > 5,000 mg/kg

Skin Irritation rabbit: Slight irritation.

Eye Irritation rabbit: Minimally irritating.

Sensitization guinea pig: Non-sensitizing.

Chronic Toxicity Fipronil caused liver, kidney or thyroid effects and/or neurobehavioral effects (e.g., tremors) in chronic toxicity studies in rats and dogs. Fipronil did not induce any microscopic lesions in the neural tissues.

Assessment Carcinogenicity

Fipronil has been classified by EPA as a Category C carcinogen based on thyroid tumors in rats only. These tumors are produced by a mechanism which is not relevant to human cancer. Fipronil did not produce an increase in tumor incidence in mice.

ACGIH

None.

NTP

None.

IARC

None.

OSHA

None.

Reproductive & Developmental Toxicity REPRODUCTION: Fipronil was not considered a primary reproductive toxicant in rats.

DEVELOPMENTAL TOXICITY: Fipronil was not a developmental toxicant in rats and rabbits.



Material Safety Data Sheet

MSDS Number: 102000005015
MSDS Version 2.1

MAXFORCE® CARPENTER ANT BAIT GEL

Neurotoxicity Fipronil caused transient neurobehavioral effects (e.g., tremors) in neurotoxicity studies in rats. Delays in developmental landmarks were observed in rats at maternally toxic doses.

Mutagenicity Fipronil was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.

SECTION 12. ECOLOGICAL INFORMATION

Environmental Precautions Do not allow to get into surface water, drains and ground water. Do not contaminate surface or ground water by cleaning equipment or disposal of wastes, including equipment wash water. Apply this product as specified on the label.

SECTION 13. DISPOSAL CONSIDERATIONS

General Disposal Guidance Follow container label instructions for disposal of wastes generated during use in compliance with the product label. Never place unused product down any indoor or outdoor drain.

Container Disposal Do not re-use empty containers. Place empty container in trash.

SECTION 14. TRANSPORT INFORMATION

DOT CLASSIFICATION:
NOT REGULATED FOR TRANSPORTATION

FREIGHT CLASSIFICATION:
INSECTICIDES OR FUNGICIDES, N.O.I., OTHER THAN POISON

SECTION 15. REGULATORY INFORMATION

EPA Registration No. 432-1264

US Federal Regulations

TSCA list
1,2-Propanediol 57-55-6
US. Toxic Substances Control Act (TSCA) Section 12(b) Export Notification (40 CFR 707, Subpt D)
None.
SARA Title III - Section 302 - Notification and Information
None.
SARA Title III - Section 313 - Toxic Chemical Release Reporting
None.

US States Regulatory Reporting

CA Prop65
This product does not contain any substances known to the State of California to cause cancer.



Material Safety Data Sheet

MAXFORCE® CARPENTER ANT BAIT GEL

MSDS Number: 102000005015
MSDS Version 2.1

This product does not contain any substances known to the State of California to cause reproductive harm.

US State Right-To-Know Ingredients

1,2-Propanediol 57-55-6 MN, RI

Canadian Regulations

Canadian Domestic Substance List

1,2-Propanediol 57-55-6

Environmental

CERCLA

None.

Clean Water Section 307 Priority Pollutants

None.

Safe Drinking Water Act Maximum Contaminant Levels

None.

International Regulations

European Inventory of Existing Commercial Substances (EINECS)

1,2-Propanediol 57-55-6

SECTION 16. OTHER INFORMATION

NFPA 704 (National Fire Protection Association):

Health - 1 Flammability - 1 Reactivity - 0 Others - none

0 = minimal hazard, 1 = slight hazard, 2 = moderate hazard, 3 = severe hazard, 4 = extreme hazard

Reason to Revise: Updated Section 11: Toxicological Information. Updated for general editorial purposes.

Revision Date: 12/12/2007

This information is provided in good faith but without express or implied warranty. The customer assumes all responsibility for safety and use not in accordance with label instructions. The product names are registered trademarks of Bayer.