



Pyrethroid



Jet Spray

# PRESCRIPTION TREATMENT<sup>®</sup> brand **WASP-FREEZE<sup>®</sup>**

## WASP & HORNET KILLER

Formula 1

**KILLS ON CONTACT FROM 15 FEET AWAY**

**For Outdoor Use Only**

**KILLS:**

Bees, Hornets, Spiders, Yellow Jackets and Wasps.

**ACTIVE INGREDIENTS:**

d-trans Allethrin ..... 0.129%  
Phenothrin ..... 0.120%

**OTHER INGREDIENTS:** .....

Contains petroleum distillate ..... 99.751%  
TOTAL: 100.000%

EPA Reg. No. 499-362

**KEEP OUT OF REACH OF CHILDREN**

**CAUTION**

**PRECAUTIONARY STATEMENTS**

**FIRST AID**

**IF SWALLOWED:** Immediately call a poison control center or doctor. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give ANY liquid to the person. Do not give anything by mouth to an unconscious person.

**IF ON SKIN OR CLOTHING:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

**IF IN EYES:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

**IF INHALED:** Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also call 1-800-225-3320 for emergency medical treatment information.

**NOTE TO PHYSICIAN:** Contains petroleum distillate - vomiting may cause aspiration pneumonia.

**HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

**CAUTION:** Harmful if swallowed, inhaled, or if absorbed through the skin. Avoid breathing vapors or spray mist. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash clothing before reuse.

**ENVIRONMENTAL HAZARDS**

This pesticide is highly toxic to fish. Do not apply directly to water or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water by cleaning of equipment or disposal of equipment washwaters.


**PHYSICAL HAZARDS**

**Flammable.** Contents under pressure. Keep away from heat, sparks and open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting. May cause staining (darkening) of asphalt surfaces and shingles.

**DIRECTIONS FOR USE**

**IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING.**

For optimum performance in overhead treatments, align the actuator opening with the mark on valve cup. When treating in a downward direction, align the actuator opening directly opposite the mark on valve cup.



**WHITMIRE MICRO-GEN**  
RESEARCH LABORATORIES, INC.  
800-777-8570

**NOTE:** This specimen label is for informational purposes only. All uses may not be approved in all states. See labeling which accompanied product for Directions for Use or call 800-777-8570 for more information.



## WASP-FREEZE® WASP & HORNET KILLER

**WASPS AND HORNETS:** Hold container in upright position to treat. Stand a safe distance, 6-15 feet from nest and not directly underneath. Align actuator opening with the mark on valve cup. Aim actuator opening toward nest. Treat nest until thoroughly wet. Wasps and hornets on nest should be contacted with spray when possible. Best time of day to treat is in evening or early morning, since wasps and hornets congregate on or in nest at night. Do not apply to pets or contaminate food, foodstuffs, dishes or utensils. For outdoor use only.

To prevent dying insects from falling on skin and clothing, avoid standing directly under nest being treated.

**YELLOW JACKETS AND BEES:** Locate underground nest. Align actuator opening directly opposite the mark on valve cup. Depress actuator and treat with a sweeping motion any stimulated or stirred-up insects around nest opening. Afterwards, move forward to nest opening

and apply liquid for 6 to 8 seconds directly into nest hole. This will suffocate bees and yellow jackets in nest; other bees and yellow jackets trying to return to nest will be repelled and will fly around and away harmlessly.

**SPIDERS, INCLUDING BLACK WIDOW AND BROWN RECLUSE:** Apply spray directly onto spiders and web.

### STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

**STORAGE:** Store in a cool area away from heat or open flame.

**CONTAINER DISPOSAL:** Do not puncture or incinerate! Empty container by using the product according to the label directions. Offer empty container for recycling.

if available, or place in trash if allowed by state and local regulations. If container is partly full, contact your local solid waste agency or call 1-800-CLEANUP for disposal instructions.

### INDUSTRIAL SPECIFICATIONS

Flash Point (TCC): 144°F

Dielectric (cup test with electrodes 1/10" apart): No breakdown up to 49,300 volts.

Arcing (spray test electrodes 12" apart): No arcing at 35,000 volts.

Tested on Polyethylene, Polycarbonate, Noryl®, ABS-T and ABS-SB4500 plastics with no damage.

Contains no CFCs or other ozone depleting substances. Federal regulations prohibit CFC propellants in aerosols.



**A PRESCRIPTION TREATMENT® brand insecticide from:**

Whitmire Micro-Gen Research Laboratories, Inc.  
3568 Tree Court Industrial Blvd.  
St. Louis MO 63122-6682

© 2004 Whitmire Micro-Gen Research Laboratories, Inc.